University of Alaska Anchorage

Section
EHS/RMS
Statement
28

ADMINISTRATIVE SERVICES MANUAL

University of Alaska Anchorage	Section
,	EHS/RMS
ADMINISTRATIVE SERVICES MANUAL	Statement
ADMINIOTAL SERVICES MANORE	28
Policies and Procedures	Page
	2 of 3
Title	Effective Date
LADDER SAFETY	05/15/12

Wooden Ladders

The use of wooden ladders at UAA is prohibited. The ladders themselves can be just as safe as any other ladder type available, but the problem lies in both age and maintenance. Wooden ladders are much harder to maintain than any other type of ladder, increasing the duty and accountability of more frequent inspections. In addition, the safety regulations are more stringent in regard to wooden ladders.

Storage

Store ladders on sturdy hooks in areas where they cannot be damaged. Store to prevent warping or sagging. Do not hang anything on ladders that are in a stored condition.

Ratings & Limits Ladder weight ratings

I-A 300 pounds (heavy duty)

I 250 pounds (heavy duty)

II 225 pounds (medium duty)

III 200 pounds (light duty).

Limits on ladder length

A stepladder should be no more than 20 feet high.

A one-section ladder should be no more than 30 feet.

An extension ladder can go to 60 feet, but the sections must overlap.

Setup

The following procedure must be followed to prevent ladder related injuries:

Place ladder on a clean, slip-free level surface.

Extend the ladder to have about 4 feet above the top support or work area.

Anchor the top and bottom of the ladder

	EHS/RMS
ADMINISTRATIVE SERVICES MANUAL	Statement 28